



Rohrbruchschellen aus Gusseisen Typ RDS 12 doppelte Baulänge passend für Guss-, Stahl-, AZ- und PVC-Rohr für Gas und Wasser

Dichtselle RDS 12
Gas und Wasser



€/Stück

Artikel-Nr.	DN	Bereich	Baulänge	mit V2A Schrauben
RDS124452VA	40	44 - 52	200 mm	Preise auf Anfrage!
RDS125461VA	40	54 - 61	200 mm	
RDS126068VA	50	60 - 68	200 mm	
RDS127687VA	65	76 - 87	240 mm	
RDS128998VA	80	89 - 98	205 mm	
RDS12108118VA	100	108 - 118	240 mm	
RDS12133144VA	125	133 - 144	245 mm	
RDS12159172VA	150	159 - 172	300 mm	
RDS12214225VA	200	214 - 225	405 mm	

>> alternativ mit verzinkten Schrauben lieferbar
>> andere Baulängen auf Anfrage lieferbar



FRIACLAMP Edelstahl-Reparaturschelle einteilig FCE

Artikel-Nr.	DN (Gussrohr)	Spannbereich mm	Baulänge	€/Stück netto
REPS5458300E	40	54-58	300	Preise auf Anfrage!
REPS6067300E	50	60-67	300	
REPS8289300E	65	82-89	300	
REPS95104300E	80	95-104	300	
REPS113123300E	100	113-123	300	
REPS139149300E	125	139-149	300	
REPS167178300E	150	167-178	300	
REPS193203300E	175	193-203	300	
REPS215225300E	200	215-225	300	



RepaFlex-Reparaturschellen

DN	Abmessung	Breite	bar	Artikel-Nr.	€/Stück
40	46 - 53	140	16	8802040	Preise auf Anfrage!
	53 - 60	140	16	8802041	
50	57 - 64	140	16	8802050	
	64 - 71	140	16	8802055	
65/80	82 - 89	140	16	8802067	
80	94 - 104	210	16	8802081	
100	108 - 118	210	16	8802101	
	114 - 124	210	16	8802103	
	128 - 138	210	16	8802106	
125	139 - 149	210	16	8802125	
150	153 - 163	210	16	8802150	
	165 - 175	210	16	8802151	
200	176 - 186	210	16	8802154	
	198 - 208	210	16	8802201	
	202 - 212	210	16	8802202	
	210 - 220	210	16	8802203	
	219 - 229	210	16	8802204	



Hawle Reparaturschelle, einfach gespannt



Artikel-Nr.	Stahl DN	Guss DN	PE/PVC mm	Baulänge mm	Rohr-Außen-ø mm	€/Stück netto
HAW11054	50	-	-	200	54-58	Preise auf Anfrage!
HAW11058	50	-	60	200	58-64	
HAW11063	-	50	60	200	63-68	
HAW11082	80	65	90	200	82-91	
HAW11095	-	80	-	200	95-104	
HAW111104	100	-	110	200	104-112	
HAW111112	100	100	-	200	112-121	
HAW111115	-	100	125	200	115-125	
HAW111166	150	150	-	315	166-178	
HAW112215	200	200	225	315	215-227	



Hawle Reparaturschelle, einfach gespannt



Artikel-Nr.	Stahl DN	Guss DN	PE/PVC mm	Baulänge mm	Rohr-Außen-ø mm	€/Stück
HAW11054	50	-	-	200	54-58	Preise auf Anfrage!
HAW11058	50	-	60	200	58-64	
HAW11063	-	50	60	200	63-68	
HAW11082	80	65	90	200	82-91	
HAW11095	-	80	-	200	95-104	
HAW111104	100	-	110	200	104-112	
HAW111112	100	100	-	200	112-121	
HAW111115	-	100	125	200	115-125	
HAW111166	150	150	-	315	166-178	
HAW112215	200	200	225	315	215-227	